

## CLINICAL STUDIES and REFERENCES

### *Pre-hospital and Emergency*

Babl FE, Jamison SR, Spicer M, Bernard S, 2006. 'Inhaled methoxyflurane as a prehospital analgesic in children'. *Emergency Medicine Australasia*, 18: 404 – 410

### *Hospital*

Chin R, McCaskill M, Browne G, 2002. 'A randomised controlled trial of inhaled methoxyflurane pain relief in children with upper limb fracture'. *Journal of Paediatric Child Health*, 38: A13 – A14

Firn S, 1972. 'Methoxyflurane analgesia for burns dressings and other painful ward procedures in children'. *British Journal of Anaesthesia*, 44: 517 – 522

Komesaroff D, Crankshaw D, 2004. 'Methoxyflurane analgesia with the Pentrox™ Inhaler: Emergency Department and Hospital Ward Applications'. Presented at Victoria University of Technology, Australia

Packer KJ, Titel JH, 1969. 'Methoxyflurane analgesia for burns dressings: experience with the Analgizer'. *British Journal of Anaesthesia*, 41: 1080 – 1084

### *Specialists*

Dragon A, Goldstein I, 1967. 'Methoxyflurane: preliminary report on analgesic and mood-modifying properties in dentistry'. *Journal of the American Dental Association*, 75 (5): 1176 – 1181

Josephson CA, Schwartz W, 1974. 'The Cardiff Inhaler and Penthrane. A method of sedation analgesia in routine dentistry'. *Journal of the Dental Association of South Africa*, 29 (2): 77 – 80

Lewis LA, 1984. 'Methoxyflurane analgesia for office surgery'. *Journal of Dermatologic Surgery and Oncology*, 10 (2): 85 – 86

### *Analgesic Safety and Methoxyflurane Nephrotoxicity*

Cousins MJ, Mazze RI, 1973. 'Methoxyflurane nephrotoxicity: a study of dose response in man'. *JAMA*, 225; 13: 1611 – 1616